

MAX Label Printing & Cutting Machine



Thermal Printing & Vinyl - Cutting

Create your own signs and labels wherever and whenever you need them.













Save Time, Save Money, Improve Processes

Sourcing appropriate labels and signs can often be time consuming and costly, especially when only small quantities, specifically worded, or exact sized outputs are required. This is where the CPM-100G3U allows you to realize huge cost savings and operational improvements, by producing exactly what you want, when you want it... 24 hours a day!















"Bepop PC-EX" software has over 1,400 symbols and templates. The templates have some Spanish versions as well as English. You can create your own signs and labels whenever and however you want them with MAX Bepop Printer.

The peel-off frame is cut automatically



Database Link



Information from databases saved in CSV format, can be linked directly to your label designs.


Remaining Vinyl length



length can be checked at the status monitor in the notification area of desktop.

Other software features include

- Use any True Type font installed on your PC
- Text can be curved, arched, mirrored, slanted, reversed, italicized, condensed, extended and framed.
- Printed text can automatically be contour-cut, with a totally adjustable border size.
- Insert and print objects from other software applications, such as Microsoft Word, Excel, PowerPoint and Cliparts.







MAX Label Printing & Cutting Machine Bepop CPM-100G3U





Free cut shape work

Cut shapes and sizes freely to suit your signs and labeling needs.



		4		
工工				
	00	040		
MA				
The party				
			12 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	

PRODUCT SPECIFICATIONS

Model	CPM-100G3U		
Printing method	Thermal transfer		
Print resolution	203dpi		
Printing speed	1.0"/sec. at standard		
Cutting speed	4.7"/sec. at maximum		
Maximum output range	4"×78.7"		
Interface	USB: USB2.0 Full Speed, Allowable cable length 78.7"		
Working environment	Temperature: 50-95°F, (10-35°C)		
working environment	Humidity:35-80% (No dew condensation allowed)		
Power source	AC 100-240V 50/60Hz 1A		
Power consumption	150W at maximum, 20W at standby		
Outer dimensions	12.8"(W) ×12.0"(D) ×12.4"(H)		
Weight	19.8lbs (9kg)		

Comes with dedicated "Bepop PC-EX" application software

CONTENTS

CPM-100G3U, AC cable, Blade, Tweezers, Squeegee, Tool Holder, Tool Holder replacing spanner, Application software CD, Instruction manual

PC REQUIREMENTS

For Windows 10 / 8 / 7

Windows® is a registered trademark of Microsoft Corporation® (US) in U.S.A or in other countries.

Create your own signs & labels wherever & whenever you need them



Who needs a CPM-100G3U P

There are so many applications, both traditional and new, for the unique capabilities of the CPM-100G3U. Because of the highly durable and robust output, industrial and manufacturing sectors will find endless uses throughout their organizations. These include labels and signs for

- ●health and safety, ●engineering, ●electrical, ●plant ID, ●asset, ●tracking,
- ●product ID, ●pipe marking, ●administration, ●chemical ID, ●facilities management,
- ●control panels... the list goes on.

How does the CPM-100G3U work?

The CPM-100G3U combines thermal print and vinyl-cutting technology, together with our tried and tested software, to produce multiple spot-color outputs. So for example, you can design and print a multi-colored label that can then be contour-cut to fit into a recess.

Because the system handles individual shapes and sizes, there's no need to buy customised blank labels. For customers who need to label high value, low quantity equipment in a professional manner, the CPM-100G3U is ideal.

Consumables for CPM-100G3U



All Things Creative

Bepop ink ribbons Ink Ribbons Color				
Black	Green			
White	Dark Green			
Red	Orange			
Blue	Black Ribbon for paper			
Yellow	Lamination (Abrasion guard)			
Dark Blue				
Benon Ink Ribbon : 1 nc. ner boy				

Bepop Ink Ribbon : 1 pc. per box Size : 4" x 180' (100mm x 55m) approx.

CALL 1-800-234-9288 ext.301 FAX (716) 884-3943 EMAIL sign@hyatts.com WEB www.hyatts.com